

Environmental sustainability central africa

Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

While there is no denying the work's importance, it only gives attention to the long- and short-run side of the analysis, while ignoring the nonlinear links across various levels of the dependent variable (ecological footprint) and cross-country linkages. The quantile ARDL model proposed by Cho et al. [50] and the dynamic factor model used in the works of Delgado et al. [51] can be of interest in supplementing and improving the study of environmental sustainability in the African context.

The rest of the paper is structured as follows. Section 2 briefly reviews the literature. Section 3 presents the data and models. Section 4 discusses the empirical results, and Section 5 provides some conclusions, policy recommendations, and limitations of the study.

There are currently no satisfactory solutions to how renewable energy consumption affects ecological footprint and environmental damage in Africa's diverse countries. This question concerning the link between renewable energy and the environment requires empirical data to give the necessary knowledge for mitigating climate change, reducing ecological footprints, and implementing more effective energy plans. This research addresses this issue by providing an improved and robust analysis of these interactions in the African context.

Contact us for free full report



**Environmental
africa**

sustainability

central

Web: <https://hollanddutchtours.nl/contact-us/>

Email: energystorage2000@gmail.com

WhatsApp: 8613816583346

