



Solar thermal disadvantages

Solar thermal disadvantages

The potential environmental impacts associated with solar power--land use and habitat loss, water use, and the use of hazardous materials in manufacturing--can vary greatly depending on the technology, which includes two broad categories: photovoltaic (PV) solar cells or concentrating solar thermal plants (CSP).

The scale of the system--ranging from small, distributed rooftop PV arrays to large utility-scale PV and CSP projects--also plays a significant role in the level of environmental impact.

Depending on their location, larger utility-scale solar facilities can raise concerns about land degradation and habitat loss. Total land area requirements varies depending on the technology, the topography of the site, and the intensity of the solar resource. Estimates for utility-scale PV systems range from 3.5 to 10 acres per megawatt, while estimates for CSP facilities are between 4 and 16.5 acres per megawatt.

Unlike wind facilities, there is less opportunity for solar projects to share land with agricultural uses. However, land impacts from utility-scale solar systems can be minimized by siting them at lower-quality locations such as brownfields, abandoned mining land, or existing transportation and transmission corridors [1, 2]. Smaller scale solar PV arrays, which can be built on homes or commercial buildings, also have minimal land use impact.

Concentrating solar thermal plants (CSP), like all thermal electric plants, require water for cooling. Water use depends on the plant design, plant location, and the type of cooling system.

Many of the regions in the United States that have the highest potential for solar energy also tend to be those with the driest climates, so careful consideration of these water tradeoffs is essential. (For more information, see [How it Works: Water for Power Plant Cooling](#).)

Thin-film PV cells contain a number of more toxic materials than those used in traditional silicon photovoltaic cells, including gallium arsenide, copper-indium-gallium-diselenide, and cadmium-telluride[5]. If not handled and disposed of properly, these materials could pose serious environmental or public health threats. However, manufacturers have a strong financial incentive to ensure that these highly valuable and often rare materials are recycled rather than thrown away.

While there are no global warming emissions associated with generating electricity from solar energy, there are emissions associated with other stages of the solar life-cycle, including manufacturing, materials transportation, installation, maintenance, and decommissioning and dismantlement. Most estimates of life-cycle emissions for photovoltaic systems are between 0.07 and 0.18 pounds of carbon dioxide equivalent per kilowatt-hour.

Solar thermal disadvantages

Most estimates for concentrating solar power range from 0.08 to 0.2 pounds of carbon dioxide equivalent per kilowatt-hour. In both cases, this is far less than the lifecycle emission rates for natural gas (0.6-2 lbs of CO₂E/kWh) and coal (1.4-3.6 lbs of CO₂E/kWh) [6].

[2, 3, 4] National Renewable Energy Laboratory (NREL). 2012. Renewable Electricity Futures Study. Hand, M.M.; Baldwin, S.; DeMeo, E.; Reilly, J.M.; Mai, T.; Arent, D.; Porro, G.; Meshek, M.; Sandor, D. eds. 4 vols. NREL/TP-6A20-52409. Golden, CO: National Renewable Energy Laboratory.

[6] IPCC, 2011: IPCC Special Report on Renewable Energy Sources and Climate Change Mitigation. Prepared by Working Group III of the Intergovernmental Panel on Climate Change [O. Edenhofer, R. Pichs-Madruga, Y. Sokona, K. Seyboth, P. Matschoss, S. Kadner, T. Zwickel, P. Eickemeier, G. Hansen, S. Schlömer, C. von Stechow (eds)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 1075 pp. (Chapter 7 & 9).

Text "SCIENCE" to 67369 or sign up online. Sign up or text "SCIENCE" to 67369. Receive urgent alerts about opportunities to defend science. Recurring messages. Reply STOP to cancel. Msg & data rates may apply. Terms, Conditions, and Privacy Policy.

Contact us for free full report

Web: <https://hollanddutch tours.nl/contact-us/>

Email: energystorage2000@gmail.com

WhatsApp: 8613816583346

